

All specifications must be available within the custom options offered by Authorised Internet Retailers

Fitting Variables for PING irons, woods, hybrids and crossovers



Arccos Smart Grip standard on G425 product line and G710 Irons



***Golf Pride 360 Tour Velvet Cord is an upcharge

Shaft Length Range for PING irons

-2", -1.5", -1", -0.5", Std, +0.5", +1", +1.5", +2"

Iron Loft options (irons only)

Std Loft

Power Spec Loft

Colour Code options for irons

Gold (4° Flat), Brown (3° Flat), Orange (2° Flat), Red (2° Flat)
Black, Blue (1° Upright), Green (2° Upright),
White (3° Upright), Silver (4° Upright), Maroon (5° Upright)

Shaft Length Range for PING Woods, Hybrids & Crossovers

-2", -1.5", -1", -0.5", Std, +0.5", +1", +1.5", +2"

IRONS

G425 Iron
Right & left hand

LOFTS

4-9, PW, UW, SW, LW

SHAFT

AWT 2.0
ALTA CB Slate
Alta Distanza Black 40
Dynamic Gold
Dynamic Gold 105
Dynamic Gold 120
KBS Tour
Nippon Pro Modus Tour 105
Elevate 95
Project X LZ
UST Recoil 760 ES SMAC
UST Recoil 780 ES SMAC

FLEXES

R, S, X
SOFT R, R, S
A
S300, X100
R300, S300
S300, X100
R, S, X
S, X
R300, S300
5.0, 5.5, 6.0, 6.5
A
R, S

G710 Iron
Right & left hand

LOFTS

4-9, PW, UW, SW

SHAFT

AWT 2.0
ALTA CB RED
Alta Distanza Black 40
Dynamic Gold
Dynamic Gold 105
Dynamic Gold 120
KBS Tour
Nippon Pro Modus Tour 105
XP 95
Project X LZ
UST Recoil 760 ES SMAC
UST Recoil 780 ES SMAC

FLEXES

R, S, X
SOFT R, R, S
A
S300, X100
R300, S300
S300, X100
R, S, X
S, X
R300, S300
5.0, 5.5, 6.0, 6.5
A
R, S

i500 Iron
Right & left hand

LOFTS

3-9, PW, UW

SHAFT

AWT 2.0
ALTA CB
Alta Distanza Black 40
Dynamic Gold
Dynamic Gold 105
Dynamic Gold 120
KBS Tour
Nippon Pro Modus Tour 105
Elevate 95
Project X LZ
UST Recoil 760 ES SMAC
UST Recoil 780 ES SMAC

FLEXES

R, S, X
SOFT R, R, S
A
S300, X100
R300, S300
S300, X100
R, S, X
S, X
R300, S300
5.0, 5.5, 6.0, 6.5
A
R, S

i210 Iron
Right & left hand

LOFTS

3-9, PW, UW

SHAFT

AWT 2.0
ALTA CB
Alta Distanza Black 40
Dynamic Gold
Dynamic Gold 105
Dynamic Gold 120
KBS Tour
Nippon Pro Modus Tour 105
Elevate 95
Project X LZ
UST Recoil 760 ES SMAC
UST Recoil 780 ES SMAC

FLEXES

R, S, X
SOFT R, R, S
Soft R Lite
S300, X100
R300, S300
S300, X100
R, S, X
S, X
R300, S300
5.0, 5.5, 6.0, 6.5
A
R, S



Blueprint Iron Right & left hand	LOFTS 3-9, PW	SHAFT AWT 2.0 Dynamic Gold 120 Dynamic Gold (S300, X100) Dynamic Gold 105 KBS Tour Nippon Pro Modus Tour 105 Elevate 95 Project X LZ	FLEXES R, S, X S300, X100 R300, S300 S300, X100 R, S, X S, X R300, S300 5.0, 5.5, 6.0, 6.5	Std Grip Option for Blueprint 
iBlade Iron Right & left hand	LOFTS 3-9, PW	SHAFT AWT 2.0 CFS Graphite Alta Distanza Black 40 Dynamic Gold Dynamic Gold 105 Dynamic Gold 120 KBS Tour Nippon Pro Modus Tour 105 Elevate 95 Project X LZ UST Recoil 760 ES SMAC UST Recoil 780 ES SMAC	FLEXES R, S, X SOFT R, R, S Soft R Lite S300, X100 R300, S300 S300, X100 R, S, X S, X R300, S300 5.0, 5.5, 6.0, 6.5 A R, S	Standrad Grip option for iBlade 
G Le2 Iron Right & left hand	LOFTS 4H, 5H, 6H, 7H, 6-9, PW, UW, SW	SHAFT ULT 240 Graphite	FLEXES Ultra Lite, Lite	Standard Grip Option for G Le2 

WEDGES

	LOFTS	SHAFT	FLEXES	NOTE
Glide 3.0 Wedge Right & left hand		Z-Z115 Wedge ALTA CB RED Alta Distanza Black 40 Dynamic Gold Dynamic Gold 105 Dynamic Gold 120 KBS Tour Nippon Pro Modus Tour 105 Project X LZ XP95 UST Recoil 760 ES SMAC UST Recoil 780 ES SMAC	Wedge Flex SOFT R, R, S Soft R Lite S300, X100 R300, S300 S300, X100 R, S, X S, X R300, S300 5.0, 5.5, 6.0, 6.5 A R, S	Standard Grip Option for Glide 3.0 Dyla-wedge Lite 
Eye 2 Sole (EYE 2) Standard Sole (SS) Wide Sole (WS) Thin Sole (TS)	54°, 56°, 58°, 60° 46°, 50°, 52°, 54°, 56°, 58°, 60° 54°, 56°, 58°, 60° 58°, 60°			
Glide Forged Wedge Right & left hand	50°, 52°, 54°, 56°, 58°, 60°	AWT 2.0 Wedge ALTA CB Alta Distanza Black 40 Dynamic Gold Dynamic Gold 105 Dynamic Gold 120 KBS Tour Nippon Pro Modus Tour 105 Project X LZ XP95 UST Recoil 760 ES SMAC UST Recoil 780 ES SMAC	Wedge Flex SOFT R, R, S Soft R Lite S300, X100 R300, S300 S300, X100 R, S, X S, X R300, S300 5.0, 5.5, 6.0, 6.5 A R, S	

DRIVERS

	LOFTS	SHAFTS	FLEXES	STD LENGTHS
G425 Driver Right & left hand	9° MAX, 10.5° MAX, 12° MAX 10.5° SFT 9° LST, 10.5° LST	ALTA CB 55 Slate ALTA Distanza PING Tour 173-65 Mitsubishi Tensei AV Raw Orange 55 Mitsubishi Tensei AV Raw Orange 65 Aldila Rogue White 130 MSI 70	Soft R, R, S, X Soft R Lite R, S, X R, S, R, S, X R, S, X	45.75" 45.75" 45.25" 45.25" 45.25" 45.25"
G Le2 Driver Right & left hand	11.5°	ULT 240	Lite, Ultra Lite	44.75"

Standard Grip Option for G Le2


FAIRWAYS

	LOFTS	SHAFTS	FLEXES
G425 Fairway Right & left hand,	3, 5, 7, 9 3 SFT, 5 SFT, 7 SFT 3 LST	ALTA CB 65 Slate PING Tour 173-75 ALTA Distanza	Soft R, R, S, X R, S, X Soft R Lite

		Mitsubishi Tensei AV Raw Orange 75 Aldila Rogue White 130 MSI 80	R, S, X R, S, X		
G Le2 Fairway Right & left hand	3, 5, 7, 9	ULT 240	Lite, Ultra Lite	Standard Grip Option for G Le2  	
HYBRIDS					
	LOFTS	SHAFTS	FLEXES		
G425 Hybrid Right & left hand	2 (17°), 3 (19°), 4 (22°), 5 (26°), 6 (30°), 7 (34°)	ALTA CB 70 Slate PING Tour 173-85 Alta Distanza Black 40 Mitsubishi Tensei Pro Blue 70 Mitsubishi Tensei AV Raw Orange H80 Aldila Rogue Black Hybrid 95	Soft R, R, S, X R, S, X ONE FLEX R R, S, X R, S, X		
G425 Crossover Right & left hand	2 (18°), 3 (20°), 4 (22.5°)	ALTA CB 70 Slate PING Tour 173-85 Alta Distanza Black 40 Mitsubishi Tensei AV Raw Orange H80 Aldila Rogue Black Hybrid 95	Soft R, R, S, X R, S, X ONE FLEX R, S, X R, S, X	***Crossover only available in Blue colour code	
G Le2 Hybrid Right & left hand	4H, 5H, 6H, 7H	ULT 240	Lite, Ultra Lite	Standard Grip Option for G Le2  	
PUTTERS					
	MODEL	LENGTH	LIE	GRIP	
Heppler Right & left hand	Anser 2, ZB3, Tyne 3, Flokie Fetch, Ketsch, Tomcat 14 Piper C Piper (Armlock)	Adjustable 32" - 36" Adjustable 32" - 36" Adjustable 32" - 36" 41.5"	20° +/- 2° 20° +/- 2° 20° +/- 2° 20° +/- 2°	PP59, PP60, PP61, PP62 PP59, PP60, PP61, PP62 PP59, PP60, PP61, PP62 Armlock Grip	
PING Vault 2.0 Right & left hand	Craz-E H Stealth, B60 Copper, Dale Anser Stealth, Voss Stealth, ZB Platinum Ketsch Stealth, Piper Stealth,	28" - 38" 28" - 38" 28" - 38" 28" - 38"	20° +/- 2° 20° +/- 2° 20° +/- 2° 20° +/- 2°	PP60, PP61, PP62 PP60, PP61, PP62 PP60, PP61, PP62 PP60, PP61, PP62	
G Le2 Right & left hand	Anser, Shea, Echo	32" - 35" 32" - 35"	20° +/- 2° 20° +/- 2°	PP59 Garnet PP59 Garnet	